

Referate

- Bonatti J. What potential do new robotic devices hold for cardiac surgery Annual Meeting Society of Robotic Surgery (SRS) July 29 – August 2, 2020 Orlando FL, USA
- Bonatti J. The future of robotic totally endoscopic coronary artery bypass grafting. STS Online Course in Robotic Cardiac Surgery August 2020
- Grabenwöger M. PARTNER Studien 1-3, Jahrestagung der ÖGHTG, Nov.2, 2020 Austria Online

Publikationen

Rudziński PN, Mach M, Gross C, Andreas M. Non-ST-elevation myocardial infarction after complex percutaneous coronary intervention and transcatheter aortic valve implantation: a case report of bioprosthesis-related delayed coronary obstruction and its difficult diagnosis. *Eur Heart J Case Rep.* 2020 Sep 9;4(5):1-5.

Adlbrecht C, Piringer F, Resar J, Watzal V, Andreas M, Strouhal A, Hasan W, Geisler D, Weiss G, Grabenwöger M, Delle-Karth G, Mach M. The impact of subclinical congestion on the outcome of patients undergoing transcatheter aortic valve implantation. *Eur J Clin Invest.* 2020 Apr 22;50(8)

Okutucu S, Mach M, Oto A. Mitral Paravalvular Leak Closure: Transcatheter and Surgical Solutions. *Cardiovasc Revasc Med.* 2020 Mar;21(3):422-431.

Mach M, Hasan W, Andreas M, Winkler B, Weiss G, Adlbrecht C, Delle-Karth G, Grabenwöger M. Evaluating the Association between Contrast Medium Dosage and Acute Kidney Injury in Transcatheter Aortic Valve Replacement Using Different Predictive Models. *J Clin Med.* 2020 Oct 28;9(11):3476.

Tsagakis K, Pacini D, Grabenwöger M, Borger MA, Goebel N, Hemmer W, Laranjeira Santos A, Sioris T, Widenka K, Risteski P, Mascaro J, Rudez I, Zierer A, Mestres CA, Ruhparwar A, Di Bartolomeo R, Jakob H. Results of frozen elephant trunk from the international E-vita Open registry. *Ann Cardiothorac Surg.* 2020 May;9(3):178-188.

Meuris B, Borger MA, Bourguignon T, Siepe M, Grabenwöger M, Laufer G, Binder K, Polvani G, Stefano P, Coscioni E, van Leeuwen W, Demers P, Dagenais F, Canovas S, Theron A, Langanay T, Roussel JC, Wendler O, Mariscalco G, Pessotto R, Botta B, Bramlage P, de Paulis R. Durability of bioprosthetic aortic valves in patients under the age of 60 years - rationale and design of the international INDURE registry. *J Cardiothorac Surg.* 2020 May 27;15(1):119.